STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	155793	A. BUILDING 01 B. WING _____	07/25/2012

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HAMILTON TRACE OF FISHERS LLC	11851 CUMBERLAND RD FISHERS, IN 46037

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	INITIAL COMMENTS A Quality Assurance Walk-thru Survey was conducted by the Indiana State Board of Health. Survey Date: 07/25/12 Facility Number: 012644 Provider Number: 155793 AIM Number: 201046710 Surveyor: Mark Caraher, Life Safety Code Specialist At this Quality Assurance Walk-thru survey, Hamilton Trace of Fishers, LLC was found in compliance with 410 IAC 16.2-3.1-19(ff). This one story facility was determined to be of Type V (111) construction and fully sprinklered. The facility has a fire alarm system with smoke detection in the corridors and in all areas open to the corridor. The facility has smoke detectors in all resident sleeping rooms hard wired to the fire alarm system. The facility has a capacity of 108 and had a census of 101 at the time of this visit. The facility was found in compliance with state law in regard to sprinkler coverage and smoke detector coverage. All areas where residents have customary access were sprinklered. The facility has one detached building providing facility services including storage of supplies which was not sprinklered. Quality Review by Robert Booher, Life Safety Code Specialist-Medical Surveyor on 07/26/12.	K 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.